Safety Data Sheet
according to regulation (EG) 1907/2006

Trade name:	Galbanum 25% Parfümöl (3015)	
Revised on:	19.03.2025	**Version:** 1
print date:	19.03.2025	**page:** 1

1. Product and company identification

1.1 Product Identifier

Galbanum 25% Parfümöl (3015)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture : Cosmetic ingredient

1.3 Details of the supplier of the safety data sheet

Manufacturer / supplier:	Nöring Naturprodukte GmbH & Co. KG
street:	St. Huberter Str. 82
Nat.-Ident./ postcode/ town:	D - 47906 Kempen
Phone:	+49 (0) 2152 99446-0
Fax:	+49 (0) 2152 4139
E-Mail:	info@noering-naturprodukte.de

1.4 Emergency telephone number:

Nöring Naturprodukte GmbH & Co. KG, St. Huberter Str. 82, 47906 Kempen,
Tel.: +49 (0) 2152 99446-0 (Mo.-Do. 8-17 Uhr Fr. 8-15 Uhr)
Tel.: +49 (0) 551 192 40 (Giftinformationszentrum Nord)

2. Hazard identification

2.1. Classification of the substance or mixture

GHS Classification RegulationCLP

Flam Liq. 2	H225 Highly flammable liquid and vapour
Skin Sens. 1	H317 May cause an allergic skin reaction
Eye Irrit. 2	H319 Causes serious eye irritation.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects

2.2. Label elements

GHS Classification RegulationCLP

Flam Liq. 2	H225 Highly flammable liquid and vapour	Highly flammable liquid and vapour
Skin Sens. 1	H317 May cause an allergic skin reaction.	Sensitisation skin 1
Eye Irrit. 2	H319 Causes serious eye irritation.	Serious eye damage / eye irritation
2Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects	Hazardous to the aquatic environment, long-trem hazard 3

hazard notice

H225 Highly flammable liquid and vapour
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

safety notice

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Not smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water/…
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P403 + P235 Keep in a well-ventilated place. keep cool.

Warning mention: Danger

2.3. Other hasards
Contains Allyl alpha-ionone, beta-Pinene, d-Limonene, 1-(5,5-Dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one, Delta-3-carène, l-.alpha.-Pinene, Ethanol

3. Composition / Information on ingredient

3.2. Mixtures

Gefährliche Inhaltsstoffe

Ethanol		30 – 80
CAS 64-17-5	Flam Liq. 2 – H225	
EINECS 200-578-6		
Allyl alpha-ionone		1 - 5
CAS 5182-36-5	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Aquatic Chronic 2, Skin Sens. 1B	
EIINECS 201-225-9	- H313, H303, H411, H317	
Floropal		1 - 5
CAS 5182-36-5	Acute Tox. 5 (Dermal, Acute Tox. 4 (Oral), Aquatic Acute 3, Aquatic Chronic 3	
EINECS 225-963-6	- H313, H302, H402, H412	
Hercolyn		1 – 5
CAS 8050-15-5	Aquatic Acute 3, Aquatic Chronic 3 - H402, H412	
EINECS 232-476-2		
1-(5,5-Dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one		0 - 1
CAS 56973-85-4	Skin Sens. 1B - H317	
EINECS 260-486-7		
Delta-3-carène		0 - 1
CAS 13466-78-9	Asp. Tox. 1, Acute Tox. 2 (Inhala, Acute Tox. 5 (Oral), Aquatic Chronic 3,	
EINECS 236-719-3	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1A - H304, H330, H303, H412, H226, H315, H317	

4. First aid measures

4.1. Description of first aid measures

General Notes	If in doubt, always call a doctor.
If Inhaled	If the person is unconscious, place in the fresh air. Consult a doctor
Contact with skin	Remove soiled clothing. Wash immediately and abundantly with water.
Contact with eyes	Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophtalmologist.
If swallowed	Do not induce vomiting, maintain the patient at rest. Resort to the medical care

4.2. Most important symptoms and effects, both acute and delayed

No concerned

4.3. Indication of any immediate medical attention and special treatment needed

No concerned

5. Fire fighting

5.1. Extinguishing media

Appropriate extinction method

alcohol resistant foam, carbon dioxide, powder

Inappropriate extinction method

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

Flammability – The product is flammable

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO2). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

Keep breathing apparatus ready. Cool closed containers exposed to fire with water. Fire water not allow to enter drains, soil or bodies of water.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the

product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up
Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections
Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. Handling and storage

7.1. Precautions for safe handling
Wash hands after use. Reproduce labeling if transfer to another container. Ensure adequate ventilation.
Provide safety showers and eye washes.

Fire prevention
Prevent access by unauthorized persons. Handle in well ventilated areas.
Equipment and procedures
For personal protection, see Section 8. Observe precautions stated on the label and regulations of labor protection.
Close the packaging after use. Avoid inhalation of vapors and contact with skin or eyes.

7.2. Conditions for safe storage, including any incompatibilities
Keep tightly closed containers away from heat sources and protected from extreme temperatures.
Keep containers closed when not in use. Always keep in approriate packages (identical to the original material).

7.3. Specific end use(s)
NO CONCERNED

8. Exposure controls / Personal protection

8.1. Control parameters
Ethanol
Index-Nr. 603-002-00-5 / EG-Nr. 200-578-6 / CAS-Nr. 64-17-5
TRGS 900, AGW, long-term value: 380 mg/m3; 200 ppm
TRGS 900, AGW, short-term value: 1520 mg/m3; 800 ppm

8.2. Exposure controls
Individual protection measures, such as personal protective equipment Personal protective equipment

Hands protection	Gloves required.
Eyes protection	Glasses required.
Respiratory protection	Not required if a good ventilation is maintained.
Body protection	Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.
Engineering measures	Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks. Do not eat, do not drink and do not smoke during use.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Relative density (d20/20) :	0,852 ; 0,859
Color:	colorless to slightly yellow
Appearence:	liquid
Odor:	characteristic
Flash point (° C):	13

10. Stability and reactivity

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions

10.4. Conditions to avoid

Avoid excessive heat (naked flames, sparks, ...). Hazardous decomposition products may form at high temperatures.

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided	No decomposition if used according to specifications
Dangerous decomposition products	No dangerous decomposition products known

11. Toxicological Information

11.1. Information on toxicological

Toxicological Information

No data available

Toxicological Information Acute

· Oral (mg/kg): 4 701,88 (Defined)

· Inhalation (mg/kg): Not determined

· Skin (mg/kg): Not classified

Skin corrosion/irritation; Serious eye damage/irritation

Ethanol 611 min. 96% / cosmetic ethyl alcohol

12. Ecological Information

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil
NO CONCERNED
12.5. Results of PBT and vPvB assessment
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
12.6. Other adverse effects
NO CONCERNED

13. Disposal recommendations

13.1. Waste treatment methods
Waste Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.
Contaminated packaging Keep the label on the container. Give to a certified disposal.

Suggested list for waste codes/waste designations according to EAKV
140603* other solvents and solvent mixtures
*Hazardous waste according to Directive 2008/98/EC (Waste Framework Directive).

14. Transport information

IATA

14.1. UN number
ADR / IMDG/ IATA : 1170

Custom tariff : **33029090**

14.2. UN proper shipping name
ADR / IMDG: ETHANOL (ETHYLALKOHOL)
IATA : AVIATION REGULATED LIQUID, N.O.S.(Benzyl salicylate) / ETHANOL (ETHYLALKOHOL)

14.3. Transport hazard class(es)
ADR /IMDG / IATA: 3

14.4. Packing group
ADR /IMDG/ IATA: II

14.5. Environmental hazards
ADR/ IMDG/ IATA: Not Regulated

14.6. Special precautions for user
Land transport (ADR/RID)
Tunnel restriction code: D/E

Sea Transport (IMDG)
EmS no.: F-E, S-D

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
NO CONCERNED

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Class of water contamination (Germany): WGK 2

15.2. Chemical safety assessment
Contient Allyl alpha-ionone, beta-Pinene, d-Limonene, 1-(5,5-Dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one, Delta-3-carène, l-.alpha.-Pinene, Ethanol

16. Other information

Full H sentences Point 3
H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

The information is based on our current level of knowledge, but does not represent any assurance of product properties and does not establish a contractual legal relationship.