

Safety Data Sheet according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 1

1. Product and company identification

1.1 Product Identifier

Marine 25% Parfümöl (3016)

UFI: WXA8-P0GS-P00Y-V520

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture : Cosmetic ingredient

1.3 Details of the supplier of the safety data sheet

Manufacturer / supplier: Nöring Naturprodukte GmbH & Co. KG

street: St. Huberter Str. 82

Nat.-Ident./ postcode/ town: D - 47906 Kempen

Phone: +49 (0) 2152 99446-0

Fax: +49 (0) 2152 4139

E-Mail: info@noering-naturprodukte.de

1.4 Emergency telephone number:

Nöring Naturprodukte GmbH & Co. KG, St. Huberter Str. 82, 47906 Kempen,

Tel.: +49 (0) 2152 99446-0 (Mo.-Do. 8-17 Uhr Fr. 8-15 Uhr)

Tel.: +49 (0) 551 192 40 (Giftinformationszentrum Nord)

2. Hazard identification

2.1. Classification of the substance or mixture

GHS Classification RegulationCLP

Flam Liq. 2	H225 Highly flammable liquid and vapour
Skin Sens. 1	H317 May cause an allergic skin reaction
Eye Irrit. 2	H319 Causes serious eye irritation.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

GHS Classification RegulationCLP

Flam Liq. 2	Highly flammable liquid and vapour	H225 Highly flammable liquid and vapour
Skin Sens. 1	Sensitisation skin 1	H317 May cause an allergic skin reaction
Eye Irrit. 2	Serious eye damage / eye irritation 2	H319 Causes serious eye irritation.
Aquatic Chronic 3	Hazardous to the aquatic environment, long-term hazard 3	H412 Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Not smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 2

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 + P235 Keep in a well-ventilated place. keep cool.



Warning mention: Danger

2.3. Other hazards

Contains Ethanol, Helional, Damascone alpha - (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one

3. Composition / Information on ingredient

3.2. Mixtures

Material		
C.A.S/ EINECS	Risk Symbol Percent	%
<u>Ethanol</u>		30 – 80
64-17-5	Flam Liq. 2 – H225	
200-578-6		
<u>Helional</u>		1 - 5
1205-17-0	Aquatic Chronic 2, Skin Sens. 1B - H317, H411	
214-881-6		
<u>Damascone alpha - (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one</u>		< 0,5
24720-09-0	Acute Tox. 4 (Oral), Aquatic Chronic 2, Skin Sens. 1B - H302, H317, H411	
246-430-4		

4. First aid measures

4.1. Description of first aid measures

General Notes If in doubt, always call a doctor.

If Inhaled If the person is unconscious, place in the fresh air. Consult a doctor

Contact with skin Remove soiled clothing. Wash immediately and abundantly with water.

Contact with eyes Abundant rinsing with water then washing with an ocular lotion standard Dacryoserum. Consult an ophthalmologist.

If swallowed Do not induce vomiting, maintain the patient at rest. Resort to the medical care

4.2. Most important symptoms and effects, both acute and delayed

If symptoms occur or if in doubt, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 3

First aid, decontamination, symptomatic treatment.

5. Fire fighting

5.1. Extinguishing media

Appropriate extinction method

alcohol resistant foam, carbon dioxide, powder

Inappropriate extinction method

In case of fire, never use direct water stream.

5.2. Special hazards arising from the substance or mixture

Flammability – The product is flammable

In case of fire, may produce toxic fumes of carbon monoxide (CO) or carbon dioxide (CO₂). Exposure to decomposition products may be hazardous to health. Do not breathe fumes.

5.3. Advice for firefighters

Keep breathing apparatus ready. Cool closed containers exposed to fire with water. Fire water not allow to enter drains, soil or bodies of water.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Prevent a manager

Refer to protective measures listed in sections 7 and 8.

For non-emergency personnel

Avoid breathing vapors. Avoid all contact with skin and eyes. If necessary, evacuate staff by trained operators equipped with safety equipment

For emergency responders

Appropriate personal protective equipment will be required (refer to Section 8).

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Prevent contamination of soil and water, while entering into drains, ditches and rivers. Notify authorities if the product penetrates into the sewers or public waters.

6.3. Methods and material for containment and cleaning up

Diking with sand or diatomaceous earth, pumping and rinsing with water after recovery of specific waste in plastic drums and labeled then deliver to an approved waste facility.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4. Reference to other sections

Refer to sections 8 and 13 for information on exposure control, personal protection and disposal.

7. Handling and storage

7.1. Precautions for safe handling

Wash hands after use. Reproduce labeling if transfer to another container. Ensure adequate ventilation.

Provide safety showers and eye washes.

Fire prevention

Safety Data Sheet according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 4

Prevent access by unauthorized persons. Handle in well ventilated areas.

Equipment and procedures

For personal protection, see Section 8. Observe precautions stated on the label and regulations of labor protection. Close the packaging after use. Avoid inhalation of vapors and contact with skin or eyes.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed containers away from heat sources and protected from extreme temperatures.

Keep containers closed when not in use. Always keep in appropriate packages (identical to the original material).

7.3. Specific end use(s)

NO CONCERNED

8. Exposure controls / Personal protection

8.1. Control parameters

Ethanol

Index-Nr. 603-002-00-5 / EG-Nr. 200-578-6 / CAS-Nr. 64-17-5

TRGS 900, AGW, long-term value: 380 mg/m³; 200 ppm

TRGS 900, AGW, short-term value: 1520 mg/m³; 800 ppm

8.2. Exposure controls

Individual protection measures, such as personal protective equipment Personal protective equipment

Hands protection Gloves required.

Eyes protection Glasses required.

Respiratory protection Not required if a good ventilation is maintained.

Body protection Wear regularly cleaned overalls. In case of contact, all soiled parts should be washed.

Engineering measures Avoid contact with eyes, skin or clothing. Do not ingest. Avoid contact with food, drinks. Do not eat, do not drink and do not smoke during use.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Relative density (d_{20/20}) : 0,860 ; 0,870

Color: colorless to pale yellow

Appearance: liquid

Odor: characteristic

Flash point (° C): 13

10. Stability and reactivity

10.1. Reactivity

No dangerous reactions during storage and handling according to specifications.

10.2. Chemical stability

Stable product during storage and handling according to specifications.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions

10.4. Conditions to avoid

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 5

Avoid excessive heat (naked flames, sparks, ...). Hazardous decomposition products may form at high temperatures.

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided No decomposition if used according to specifications

Dangerous decomposition products No dangerous decomposition products known

11. Toxicological Information

11.1. Information on toxicological

Toxicological Information

No data available

Toxicological Information Acute

- Oral (mg/kg): Not classified
- Inhalation (mg/kg): Not determined
- Skin (mg/kg): Not classified

Skin corrosion/irritation; Serious eye damage/irritation

Ethanol 611 min. 96% / cosmetic ethyl alcohol

12. Ecological Information

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

NO CONCERNED

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

NO CONCERNED

13. Disposal recommendations

13.1. Waste treatment methods

Waste Do not flush with household garbage. Do not pour into drains or waterways. Dispose of according to current legislation, by a collector or a specialized company.

Contaminated packaging Keep the label on the container. Give to a certified disposal.

Suggested list for waste codes/waste designations according to EAKV

140603* other solvents and solvent mixtures

*Hazardous waste according to Directive 2008/98/EC (Waste Framework Directive).

Safety Data Sheet according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 6

14. Transport information

IATA



14.1. UN number

ADR / IMDG/ IATA : 1170

Custom tariff : 33029090

14.2. UN proper shipping name

ADR / IMDG: ETHANOL (ETHYLALKOHOL)

IATA : AVIATION REGULATED LIQUID, N.O.S.(Benzyl salicylate) / ETHANOL (ETHYLALKOHOL)

14.3. Transport hazard class(es)

ADR /IMDG / IATA: 3

14.4. Packing group

ADR /IMDG/ IATA: II

14.5. Environmental hazards

ADR/ IMDG/ IATA: Not Regulated

14.6. Special precautions for user

Land transport (ADR/RID)

Tunnel restriction code: D/E

Sea Transport (IMDG)

EmS no.: F-E, S-D

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NO CONCERNED

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany): WGK 2

15.2. Chemical safety assessment

Content Ethanol, Helional, Damascone alpha - (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one : Peut provoquer des allergies.

16. Other information

Full H sentences

Safety Data Sheet

according to regulation (EG) 1907/2006



Trade name: Marine 25% Parfümöl (3016)

Revised on: 21.10.2025

Version: 1

print date: 21.10.2025

page: 7

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The information is based on our current level of knowledge, but does not represent any assurance of product properties and does not establish a contractual legal relationship.
